


SHOWN: 896NGU-MS-NBA

16' / Octagon Giant Telescoping Umbrella / Matte Silver Finish / 9 oz. Marine Grade Navy Blue Acrylic



FEATURES

- As the telescoping Nova cranks down, the top portion of the mast rises, allowing you to completely close the umbrella without having to move any furniture.
- 4" diameter aluminum center pole with four internal strength channels, combined with the extruded aluminum ribs provide exceptional support and strength.
- Stainless-steel hardware throughout.

ENGINEERED TO WITHSTAND 50 MPH WINDS

- Reinforced grommets with an ultra-durable woven nylon wrap prevent fabric tearing from the frame.
- The Nova mounts to a hinged spigot allowing for the umbrella mast to be placed onto the spigot while the unit is on its side, prior to raising it upright.
- Mounting options include permanent, semi-permanent, and free-standing bases for installation on any surface.

FRAME FINISHES

MS



MATTE SILVER
ANODIZED

NOVA - GIANT TELESCOPING UMBRELLA



896NGU - 16' / 5M OCT.



8110NGU-SQ - 13' / 4M SQ.

- A.** closed height: 14' / 4.3m
- B.** open height: 10.5' / 3m
- C.** closed clearance: 66" / 182cm
- D.** open clearance: 98" / 248cm
- E.** crank clearance: 43" / 109cm
- MAST:** 4" / 10cm
- WEIGHT:** 205 lbs. / 93 kg.

- A.** closed height: 14' / 4.3m
- B.** open height: 10.5' / 3m
- C.** closed clearance: 52" / 147cm
- D.** open clearance: 96" / 243cm
- E.** crank clearance: 43" / 109cm
- MAST:** 4" / 10cm
- WEIGHT:** 195 lbs. / 88 kg.

Umbrella clearance dimensions are measured while not mounted in a base. Depending on the selected base, these clearance measurements will change. All dimensions and weights have a +/-5" tolerance based on multiple variables; pin placement height, crank tautness and fabric weight.

Please consult a licensed professional for in-ground or surface mounting installations.

SPECIFIC MOUNTING NOVA

Please see further details on page(s) 50

NGU550 GALVANIZED STEEL MAX

W: 550 lbs./249 kg. **D:** 45"/114cm **H:** 5"/13cm

FREE-STANDING BASE

NGU-DP DIRECT SURFACE MOUNTING PLATE

W: 20 lbs./9 kg. **D:** 16"/40cm **H:** .5"/12.7mm

DIRECT SURFACE INSTALLATION

NGU-IG IN-GROUND MOUNT

W: 18 lbs./8 kg. **D:** 8"/20cm **H:** 20"/50cm

IN-GROUND MOUNT INSTALLATION